

50B B1

2. (Once Amended)

A display device having rendered thereon dynamically changing results of a database query, comprising:

AI
a query grid having at least one field and associated criteria and being stored on a server as raw data, wherein the query grid is transmitted from the server to a remote client through a communications interface in response to a communication from the client to the server [that made a request for the query grid data for display on the client, the query grid being transmitted as encoded data]; and

at least one adjustable interface option displayed on the client display device for adjusting associated criteria of the at least one associated field in real time using the remote client to process the adjustment.

Please add claims 7-23 as follows:

RECEIVED

DEC - 9 1999

MAIL ROOM

50B B2 7. (New)

AD
CM
A method for dynamically adjusting data values on a client computer, the method comprising:

transmitting a plurality of data packets comprising data values from a host computer to a remote client computer in response to an initial query by the client computer;

automatically displaying a control module on a display monitor of the client computer;

dynamically adjusting the data values using the remote client to process the adjustment in response to user interaction with the automatically displayed control module; and

dynamically displaying the adjusted data values on the client display monitor.

8. (New)

91
cm
The method of claim 7 wherein the control module comprises a graphical user interface for manipulating and interacting with the data values in real time.

9. (New)

The method of claim 7 wherein the data values are hidden from the user until the user interacts with the control module.

E1
10. (New) The method of claim 7 wherein the plurality of data packets transmitted from the host computer to the remote client computer further comprises the control module.

11. (New) The method of claim 7 wherein the control module is automatically created on the client computer.

12. (New) The method of claim 7 wherein the control module is capable of dynamically adjusting the displayed data in response to user interaction with the control module after an electronic connection between the host computer and the remote client computer is terminated.

13. (New) The method of claim 7 wherein the data is dynamically adjusted using the remote client computer to process the adjustment to provide real-time interactivity between the user and the dynamically displayed data.

14. (New) The method of claim 7 wherein the dynamically displayed data is sorted by the control module in response to user interaction with the control module.

15. (New) The method of claim 7 wherein the scope of the dynamically displayed data is limited by user interaction with the control module.

16. (New) The method of claim 7 wherein the scope of the dynamically displayed data is expanded by user interaction with the control module.

17. (New) The method of claim 7 wherein the control module has at least one graphical control for allowing the user to dynamically adjust the displayed data.

18. (New) The method of claim 7 wherein the dynamically displayed data is pricing data.

Sub 2
Adm
21
amt

19. (New) A method for dynamically adjusting pricing data displayed on a client computer, comprising:
transmitting a set of pricing data from a server computer to the client computer in response to an initial query from the client computer;
transmitting a control module comprising a graphical user interface from the server computer to the client computer;
automatically displaying the graphical user interface on the client computer;
dynamically displaying and adjusting the pricing data using the remote client to process the adjustment in response to user interaction with the automatically displayed graphical user interface.

20. (New) The method of Claim 19 further comprising transmitting a data decode module from the server computer to the client computer;

21. (New) The method of claim 20 wherein the pricing data transmitted from the host computer is encoded.

22. (New) The method of claim 21 further comprising automatically decoding the pricing data on the client computer with the data decode module using the client computer to decode the pricing data;

23. (New) The method of Claim 19 wherein the graphical user interface has at least one user interface control for dynamically adjusting the pricing data.